

We claim:

1. A method for improving cardiovascular function of a subject comprising the administration of two to ten grams of D-ribose one to four times daily to the subject.

5

2. The method of claim 1 wherein three to five grams of D-ribose is administered one to four times daily to the subject.

10

3. The method of claims 1 or 2 wherein D-ribose is administered one to four times daily for at least one week.

Sub 1
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000

4. A composition for improving cardiovascular function of a subject comprising administering an effective amount of D-ribose in combination with a vasodilator to the subject.

5. The composition of claim 4 wherein the effective amount of D-ribose is one to 30 grams and the vasodilator is L-arginine, nitroglycerine, a nitrate, a nitrite, papaverine, isoproterenol, nylidrin, isoxsuprine, nitroprusside, adenosine, xanthine, ethyl alcohol, dipyramide, hydrazaline, minoxidil or diazoxide.

6. The composition of claim 4 wherein the effective amount of D-ribose is two to 10 grams.

7. The composition of claim 4 wherein the effective amount of D-ribose is three to eight grams.

8. The composition of claim 4 further comprising at least one of glucose, glutamine, Vitamin C, Vitamin B6, Vitamin B12, folic acid.

Sub 2
9. The composition of claims 4 or 8 further comprising at least one of L-carnitine, taurine, creatine, Coenzyme Q10 or pyruvate.

10. A method for improving cardiac function in a subject comprising the administration of any one of the compositions of claims 4, 5, 6, 7, 8 or 9 to the subject one to four times per day.

5 11. A composition for improving cardiac function in a subject comprising: one to 20 grams of D-ribose; 0 to 20 grams of glucose; one to eight grams of L-arginine; 100 to 1000 milligrams of Vitamin C; 0.1 to one milligrams of folic acid; 0.1 to one milligrams of Vitamin; and one to 50 milligrams of Vitamin B6.

10 12. A composition for improving cardiac function in a subject comprising: five grams of D-ribose; five grams of glucose; two grams of L-arginine; 500 milligrams of Vitamin C; 0.2 milligrams of folic acid; 0.25 milligrams of Vitamin B12; and six milligrams of Vitamin B6.

15 13. A method for improving cardiac function in a subject comprising the administering any one of the compositions of claims 11 and 12 to the subject one to four times per day.

20 14. A method for relieving the symptoms of peripheral vascular disease in a subject comprising administering any one of the compositions of claims 5, 6, 7, 8, 9, 11 or 12 to the subject one to four times per day.

15. The method of claims 4, 10 or 13 wherein the vasodilator is nitroglycerine, a nitrate, a nitrite, or nitroprusside, and the D-ribose is ingested orally fifteen minutes before the vasodilator is administered sublingually, buccally or transdermally.

25 16. A method of reducing blood pressure of a subject comprising administering D-ribose to the subject.

30 17. The method of claim 16 wherein D-ribose or any one of the compositions of claims 5, 6, 7, 8, 9, 10, 11 or 12 is administered to the subject one to four times per day.